




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : H04N 7/16, 7/173		A1	(11) International Publication Number: WO 97/19555
			(43) International Publication Date: 29 May 1997 (29.05.97)
(21) International Application Number: PCT/US96/18636		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).	
(22) International Filing Date: 19 November 1996 (19.11.96)			
(30) Priority Data: 08/561,486 20 November 1995 (20.11.95) US			
(71) Applicant: PREVUE INTERNATIONAL, INC. [US/US]; 7140 South Lewis Avenue, Tulsa, OK 74136-5422 (US).			
(72) Inventors: HANAFEE, Michael; 3143 East 87th Street, Tulsa, OH 74137 (US). MARSHALL, Connie, T.; 2991 South Woodland Road, Muskogee, OK 74403 (US). EMMERT, Timothy, S.; 2401 West Fulton, Broken Arrow, OK 74012 (US).			
(74) Agents: GUILIANO, Joseph, M. et al.; Fish & Neave, 1251 Avenue of the Americas, New York, NY 10020 (US).		Published <i>With international search report.</i>	

(54) Title: INTERACTIVE SPECIAL EVENTS VIDEO SIGNAL NAVIGATION SYSTEM

(57) Abstract

A system interactively controlled by a TV viewer remote control transmitter displays current or future programming information superimposed over the normal programming displayed on any channel accessible to the viewer's display screen. Identification signal data are accessed and generated by the computer for durations defined in the identification signal data either automatically or in response to the TV viewer remote. Information signal data are accessed and generated by the computer in response to the TV viewer remote. A signal combiner superimposes the identification signal or the information signal over the viewer usable signal of any selected channel from the tuner. The identification signal may include data defining an icon or textual matter altering a viewer to the availability of information data. The information signal may include program descriptive data, schedule data, pricing data and/or payment authorization and recording prompt data and the like sequenced for interactive control of the computer by the viewer. The identification signal may be specially dedicated to a normal programming information channel so that the viewer can interact with respect to specific programs identified without changing from the programming information channel. Thus, the viewer is able to receive an automatic alert to availability of current and future programming and to elect to interactively exercise a variety of options with respect to such current and future programming without interruption of presently viewed programming.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgystan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

INTERACTIVE SPECIAL EVENTS
VIDEO SIGNAL NAVIGATION SYSTEM

Background of the Invention

This invention relates generally to inter-
5 active video communications and more particularly
concerns viewer controlled selection of programming
guide information and programming.

Programming guide information is presently
displayed to the home TV viewer in non-interactive
10 pages or scrolls of characters conveying programming
guide information. Presently known in-home video guide
hardware is either attached to or manufactured within a
television set and produces interactive program guides
that allow users, at their leisure, to peruse program
15 information and make a viewing selection based upon
information presented. However, the viewer either has
to wait through a scroll of the information, view the
information on a page of text, or manually navigate to
the information. Unless the viewer manually navigates
20 to event information provided or happens to view the
information in a scroll or pages of text, the viewer is
unaware of the current and future events that are
available.

It is, therefore, an object of this invention
25 to provide a process and in-home video guide hardware
by which a home viewer may be informed, in real-time,

- 2 -

of events that are available currently or will in the future be available for viewing. Another object of this invention is to provide a process and in-home video guide hardware which alert a viewer to the availability of selected current or future program events. Yet another object of this invention is to provide a process and in-home video guide hardware which permit a viewer to access information about selected programming without changing channels.

Another object of this invention is to provide a process and in-home video guide hardware which permit a viewer to interact with information and prompts respecting selected programming without changing channels. A further object of this invention is to provide a process and in-home video guide hardware which ascertain whether an event is current or future. Still another object of this invention is to provide a process and in-home video guide hardware which permit the viewer to choose whether a program will be recorded or not recorded. It is also an object of this invention to provide a process and in-home video guide hardware which permit the viewer to choose whether a program will be recorded with or without copy protection. Yet another object of this invention is to provide a process and in-home video guide hardware which permit the viewer to view a display of the cost of the event. And it is an object of this invention to provide a process and in-home video guide hardware which permit the viewer to authorize payment for access to a selected program.

Summary of the Invention

In accordance with the invention, a system interactively controlled by a TV viewer remote control

- 3 -

transmitter displays current or future programming information superimposed over the normal programming displayed on any channel accessible to the viewer's display screen. A tuner receives TV radio frequency or optical transmission signals in a plurality of cable channels and passes a viewer usable signal of any selected one of the channels to a signal combiner. A computer receives any of a plurality of control signals from the TV viewer remote control transmitter. It also receives from the tuner and stores data contained in a current and future programming identification signal and data contained in a current and future programming information signal. The identification signal contains data indicating the availability of the information signal. The information signal contains data descriptive of and/or facilitating interaction with current and future programming. Portions of the stored identification signal data are accessed and generated as an output identification signal by the computer for durations defined in the identification signal data either automatically at times defined in the identification signal data or in response to a selected one of the plurality of control signals from the TV viewer remote control transmitter. Portions of the stored information signal data are accessed and generated as an output information signal by the computer in response to a selected one of the plurality of control signals from the TV viewer remote control transmitter. The signal combiner superimposes the identification output signal or the information output signal over the viewer usable signal of any selected channel from the tuner to provide a display signal for input to the viewer's display screen. The identification signal may include data defining an icon

- 4 -

or textual matter alerting a viewer to the availability of information data or may include data enabling access to such icon or textual matter data as may be already stored elsewhere in the computer. The information
5 signal may include program descriptive data, schedule data, pricing data and/or payment authorization and recording prompt data and the like sequenced for interactive control of the computer by the viewer and may also include data programming the interactive
10 operation of the computer or data initiating operation of an interactive operating program resident in the computer.

In one specially preferred embodiment, the identification signal may be specially dedicated to a
15 normal programming information channel so that the viewer can interact with respect to specific programs identified without changing from the programming information channel. Furthermore, the identification data can be incorporated in the normal programming
20 signal so that no identification signal need be sent to or received from the computer.

Thus, the viewer is able to receive an automatic alert to availability of current and future programming and to elect to interactively exercise a
25 variety of options with respect to such current and future programming without interruption of presently viewed programming.

Brief Description of the Drawings

Other objects and advantages of the invention
30 will become apparent upon reading the following detailed description and upon reference to the drawings in which:

- 5 -

FIG. 1 is a block diagram illustrating a preferred embodiment of the hardware of the interactive special events video signal navigator system;

FIG. 2 is a flow chart illustrating a
5 preferred sequence of process steps and options of the interactive special events video signal navigator system;

FIG. 3 is a representation of a video screen display of a typical special events output
10 identification signal superimposed over a normal programming signal;

FIG. 4 is a representation of a video screen display of a typical special events output information signal containing program description data superimposed
15 over a normal programming signal;

FIG. 5 is a representation of a video screen display of a typical special events output information signal containing price information and authorization option data for interaction by the viewer superimposed
20 over a normal programming signal;

FIG. 6 is a representation of a video screen display of a typical special events output information signal containing "record" option data for interaction by the viewer superimposed over a normal programming
25 signal;

FIG. 7 is a representation of a video screen display of a typical special events output information signal containing data confirming interaction to the viewer superimposed over a normal programming signal;

30 FIG. 8 is a representation of a video screen display of a normal programming signal without superimposition of a special events output identification or information signal; and

- 6 -

FIG. 9 is a representation of a video screen display of a typical special events output identification signal superimposed over a normal programming signal of a program information channel.

5 While the invention will be described in connection with a preferred embodiment, it will be understood that it is not intended to limit the invention to that embodiment. On the contrary, it is intended to cover all alternatives, modifications and
10 equivalents as may be included within the spirit and scope of the invention as defined by the appended claims.

Detailed Description of the Invention

Turning first to FIG. 1, the components of
15 the interactive special events video signal navigation system are illustrated. A computer 11 having a command information receiver, preferably an infrared or radio frequency receiver 13, provides a control signal 15 to a tuner 17 and a picture image signal 19 or 20 to a
20 digital video board 21. The tuner 17 converts or demodulates radio frequencies or optical transmissions to a signal usable by the viewer to output a normal programming signal 23 selected from a plurality of normal programming signals 25 input to the tuner 17
25 from the cable source (not shown), typically frequency division multiplexed video, audio and data signals transmitted via a coaxial cable, over-the-air radio frequencies or fiber optics. The tuner 17 also receives current and future programming identification
30 and/or information signals 26 and 28 from the cable source (not shown) and feeds corresponding current and future programming identification and/or information signals 16 and 18 for storage in the computer 11. The

- 7 -

identification signals 16 contain data relative to the availability of information signals 18 and the information signals 18 contain data descriptive of and/or facilitating interaction by the viewer with
5 options relating to current and future programming. The computer 11 automatically accesses selected portions of the data stored from the output identification signal 16 at times and for durations defined in that data and generates a corresponding
10 picture image signal 19. The computer 11 also accesses selected portions of the data stored from the output information signal 18 in response to a selected one of the plurality of control signals from the TV viewer remote control transmitter 13 to the computer 11 and
15 generates a picture image signal 20. The digital video board 21 receives the picture image signal 19 or 20 from the computer 11 and converts the digital data into a video signal 27. The tuner output or base programming signal 23 has superimposed thereon in a
20 genlock signal combiner or overlayer 29 the video image signal 27 from the digital video board 21. The combined signal 31 is then displayed on a video signal display device such as the display screen 33 of the viewer's television. The viewer sends commands to the
25 receiver 13 to control the operation of the computer 11 by the use of a remote control transmitter, preferably an infrared or radio frequency transmitter 35. The computer 11 is based on a microprocessor and may utilize random access (RAM) and/or read only (ROM)
30 memory. The software necessary to operate the microprocessor may be embedded in the device or, as explained above, downloaded via the cable system (not shown) through the tuner 17 to the computer 11. The identification and information signals 26 and 28 to the

- 8 -

tuner 17 and corresponding signals 16 and 18 to the computer 11 may be transmitted in single or separate packages.

The above-described interactive special events video signal navigation system components operate in response to the control of the computer 11. As shown in FIG. 2, while the home viewer is watching programming presented on his display 33 in response to the tuner 17 feeding any basic program signal 23 from the input selections 25 to the genlock combiner 29, the computer 11 may be automatically prompted by data received in an identification signal 16 to cause a "special event" indicator to appear on the viewer's display 33. Looking at FIG. 3, the special event indicator 101 may appear as an icon 51 or as textual material 53 or a combination of icon 51 and textual information 53 in the viewer's display 33 superimposed over normal programming 50. When the icon 51 and/or textual material 53 appear, the system proceeds to a "remote control button pressed?" inquiry 103 and determines whether the viewer has responded to the presence of the special event indicator 101 by pressing a button on the remote control 35. If the viewer has not pressed a button on the remote control 35, then the program proceeds to a "display time expired?" option 105. At this step the system inquires as to whether the special events indicator 101 has been displayed for a minimum time period established by data in the identification signal 16. If the answer to this inquiry is "YES," then the special events indicator 101 will be removed at step 107 and the viewer's display 33 will return to the normal programming 50 only, as is illustrated in FIG. 8. If the answer to the "delay time expires?" inquiry 105 is "NO," the program is

- 9 -

rerouted through the "remote control button pressed?" inquiry 103. If the response to the "remote control button pressed?" inquiry 103 is "YES," the system next proceeds to a "viewer request information?" inquiry 109
5 at which it is determined whether the viewer has pressed a remote control button indicative of a desire to obtain further information regarding the event related to the special event indicator 101. If the answer to this inquiry is "NO," then the system
10 proceeds again to the "display time expired?" inquiry 105 for further processing as hereinbefore explained. If the answer to the "viewer request information?" inquiry 109 is "YES," then the system proceeds to a "display information" condition 111. In
15 this condition, the viewer display 33 includes a display of program information 55 superimposed on the normal programming 50. As shown, the information 55 includes a prompt to the viewer asking whether the viewer wishes to order the special event described in
20 the information or wishes to cancel the operation of the system. With this prompt displayed, the system proceeds to a "viewer accepts?" option 113 in which the viewer can choose to "order" or "cancel." If, by use of the remote control 35, the response to the "viewer
25 accepts?" inquiry 113 is "NO," then the system is directed to the normal programming step 107 in which only normal programming 50 appears on the viewer's display 33. If, in response to the "viewer accepts?" inquiry 113, the viewer indicates "YES" by operation of
30 an appropriate button on the remote control 35, then the program proceeds to a "requires authorization?" inquiry 115. If the event is a pay-per-view event, information relevant to pricing and authorization will have been included in the data forming the information

- 10 -

signal 16 fed to the computer 11. If the answer to the "requires authorization?" inquiry 115 is "YES," then the viewer display 33 will include the normal programming 50 with the pay-per-view information 57
5 superimposed thereon, as is illustrated in FIG. 5. As shown, that pay-per-view information 57 may include an opportunity for the viewer to enter a PIN number by use of the remote control 35 at a "viewer input personal identification number" step 117 of the process. If the
10 answer to the "requires authorization?" inquiry 115 is "NO" or if the viewer inputs a personal identification number at step 117, the system proceeds to a "current or future event?" inquiry 119. If data stored in the computer indicates that the answer to this inquiry 119
15 is "current," then the system proceeds to a "viewer is tuned to event" step 121 in which only the event identified by the original special events indicator 101 will appear on the viewer's display 33. If the response to the "current or future event?" inquiry 119
20 is "future," then the system proceeds to a display of information step 122 in which a prompt 59 inquires to whether taping is desired, as is shown in FIG. 6. The system then proceeds to a "desires taping?" inquiry 123. If the viewer's response to the "desires
25 taping?" inquiry 123 via the remote 35 is "NO," then the system proceeds to a "future event action is stored" step 125 in which the system will automatically display the selected event at its scheduled time. If the response to the "desires taping?" inquiry 123 via
30 the remote 35 is "YES," then the system proceeds to a "VCR taping action is stored" step 127 from which the system will further proceed to the "future event action is stored" step 125 and taping of the selected event will also be automatically initiated at the scheduled

- 11 -

time of the event. After the "future event action is stored" step 125, the system proceeds to a request accepted step 129 in which confirmation information 61 is superimposed over the normal programming 50 on the viewer's display 33 as shown in FIG. 7 to acknowledge that the viewer's commands have been entered into the system. After a predetermined lapse of time, the system continues to a normal programming step 107 at which normal programming 50 is continued as illustrated in FIG. 8 until such time as the action indicated by the viewer is taken by the system.

Turning to FIG. 9, the application of the navigation system to a programming information channel is illustrated. The identification signal 19 passed by the computer 11 for superimposition over the normal programming 23 causes the textual material 63 to be superimposed over the normal programming 50 on the viewer's display 33. In the alternative, in the programming information channel application, the use of an identification signal 16, 19 or 26 can be omitted all together and the viewer made aware of the existence of the information signal 18, 20 or 28 merely by use of an icon or by the physical positioning of the text 63 in the display of the normal programming 50. That is, the icon or textual material 63 is transmitted as part of the normal programming 50 for the programming information channel. When an icon appears on the display or textual matter 63 is displayed in a particular physical location on the display 33, the viewer is automatically alerted to the possible existence of an information signal 20 in the computer 11 and, by operation of the remote 35, can immediately cause the superimposition of the

- 12 -

information signal 20 over the normal programming signal 23.

It is further contemplated that the icon 51 employed in the navigation system may be specifically correlated to the nature of the special event identified. For example, icons configured as a projector might indicate a movie event, as a tornado might indicate a weather event, as a guitar might indicate a musical event, as an open newspaper might indicate a news event, as a football helmet might indicate a sporting event and so on.

Thus, it is apparent that there has been provided, in accordance with the invention, an interactive special events video signal navigation system that fully satisfies the objects, aims and advantages set forth above. While the invention has been described in conjunction with specific embodiments thereof, it is evident that many alternatives, modifications and variations will be apparent to those skilled in the art and in light of the foregoing description. Accordingly, it is intended to embrace all such alternatives, modifications and variations as fall within the spirit of the appended claims.

- 13 -

WHAT IS CLAIMED IS:

1. A system interactively controlled by a TV viewer remote for superimposing extraneous information characters over normal programming having a prompt on the viewer's display screen comprising:

a tuner having an input for receiving TV signals in a plurality of cable channels and a first information signal, a first output for passing a signal of any selected one of said channels and a second output for passing said first information signal;

a computer having input means for receiving any of a plurality of control signals from the TV viewer remote, a first output means for controlling said tuner to pass said signal of said any selected one of said channels in response to a first of said plurality of control signals from said TV viewer remote, means for receiving and storing said first information signal passed by said second output of said tuner and a second output means for passing a second information signal corresponding to at least a portion of said first signal; and

means for superimposing said signal passed by said second output means of said computer over said signal of any selected one of said channels passed by said first output of said tuner to provide a display signal for input to the viewer's display screen,

said computer passing said second information signal in response to a second control signal received from said remote while the prompt is on the display screen.

2. A system interactively controlled by a TV viewer remote for superimposing extraneous

- 14 -

identification and information characters over normal programming on the viewer's display screen comprising:

a tuner having an input for receiving TV signals in a plurality of cable channels and first identification and information signals, a first output for passing a signal of any selected one of said channels and a second output for passing said first identification and information signals;

a computer having input means for receiving any of a plurality of control signals from the TV viewer remote, a first output means for controlling said tuner to pass said signal of said any selected one of said channels in response to a first of said plurality of control signals from said TV viewer remote, means for receiving and storing said first identification and information signals passed by said second output of said tuner and a second output means for passing second identification and information signals corresponding to at least a portion of said first signals; and

means for superimposing said signals passed by said second output means of said computer over said signal of any selected one of said channels passed by said first output of said tuner to provide a display signal for input to the viewer's display screen,

said computer automatically passing said second identification signal at preselected times and for predetermined time increments and passing said second information signal in response to a second control signal received from said remote during said predetermined time increments.

- 15 -

3. A system according to claim 2, said second identification signal causing an icon to appear on the display screen.

4. A system according to claim 3, said icon being suggestive of content of said second information signal.

5. A system according to claim 2, said second identification signal causing textual characters to appear on the display screen.

6. A system interactively controlled by a TV viewer remote for superimposing extraneous identification and information characters over normal programming on the viewer's display screen comprising:

a tuner having an input for receiving TV signals in a plurality of cable channels and first identification and information signals, a first output for passing a signal of any selected one of said channels and a second output for passing said first identification and information signals;

a computer having input means for receiving any of a plurality of control signals from the TV viewer remote, a first output means for controlling said tuner to pass said signal of said any selected one of said channels in response to a first of said plurality of control signals from said TV viewer remote, means for receiving and storing said first identification and information signals passed by said second output of said tuner and a second output means for passing second identification and information signals corresponding to at least a portion of said first identification and information signals; and

- 16 -

means for superimposing said signals passed by said second output means of said computer over said signal of any selected one of said channels passed by said first output of said tuner to provide a display signal for input to the viewer's display screen,

said computer passing said second identification signal for a predetermined time increment in response to a second control signal received from said remote and passing said second information signal in response to a third control signal received from said remote during said predetermined time increment.

7. A system according to claim 6, said second identification signal causing an icon to appear on the display screen.

8. A system according to claim 7, said icon being suggestive of content of said second information signal.

9. A system according to claim 6, said second identification signal causing textual characters to appear on the display screen.





FIG. 1

2 / 6

FIG. 2



3 / 6

FIG. 3






FIG. 4




4 / 6

FIG. 5



59 FIG. 6



5 / 6

FIG. 7





FIG. 8



6 / 6




FIG. 9

INTERNATIONAL SEARCH REPORT

Intern: 1 Application No
PCT/US 96/18636

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 H04N7/16 H04N7/173

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 6 H04N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 94 14284 A (DISCOVERY COMMUNICATIONS INC) 23 June 1994 see page 4, line 5 - page 5, line 18 see page 10, line 22 - page 11, line 12 see page 18, line 14 - page 22, line 11 see page 24, line 6 - line 23 see page 39, line 31 - page 49, line 28 see figures 1,3,4,6-13 ---	1-9
X	WO 95 01058 A (APPLE COMPUTER) 5 January 1995 see page 25, line 11 - page 27, line 22 see page 39, line 1 - page 41, line 21 see page 49, line 1 - page 50, line 3 see page 53, line 1 - page 59, line 6 see figures 1,2,6-50 --- -/--	1-9



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- * & * document member of the same patent family

Date of the actual completion of the international search

12 February 1997

Date of mailing of the international search report

05.03.97

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+ 31-70) 340-3016

Authorized officer

Van der Zaal, R

INTERNATIONAL SEARCH REPORT

Internat. Application No. PCT/US 96/18636

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>US 5 416 508 A (SAKUMA KAZUSHI ET AL) 16 May 1995 see column 4, line 26 - column 12, line 8 see figures 3-18 -----</p>	<p>1,2,5,6, 9</p>

INTERNATIONAL SEARCH REPORT

Information on patent family members

Intern: J Application No

PCT/US 96/18636

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO-A-9414284	23-06-94	AU-A- 5732994	04-07-94
		AU-A- 5733094	04-07-94
		AU-A- 5733194	04-07-94
		AU-A- 5733294	04-07-94
		AU-A- 5736394	04-07-94
		AU-A- 5845894	22-06-94
		AU-A- 5869894	04-07-94
		CA-A- 2151458	23-06-94
		CN-A- 1093211	05-10-94
		CN-A- 1090451	03-08-94
		CN-A- 1090452	03-08-94
		CN-A- 1096151	07-12-94
		CN-A- 1090453	03-08-94
		CN-A- 1090454	03-08-94
		EP-A- 0673578	27-09-95
		EP-A- 0673579	27-09-95
		EP-A- 0673580	27-09-95
		EP-A- 0673581	27-09-95
		EP-A- 0673582	27-09-95
		EP-A- 0673583	27-09-95
		EP-A- 0674824	04-10-95
		JP-T- 8510869	12-11-96
		JP-T- 8506938	23-07-96
		JP-T- 8506939	23-07-96
		JP-T- 8506940	23-07-96
		JP-T- 8506941	23-07-96
		JP-T- 8506942	23-07-96
		NZ-A- 259148	26-11-96
		WO-A- 9413107	09-06-94
		WO-A- 9414279	23-06-94
		WO-A- 9414280	23-06-94
		WO-A- 9414281	23-06-94
		WO-A- 9414282	23-06-94
		WO-A- 9414283	23-06-94
		US-A- 5559549	24-09-96
		US-A- 5600364	04-02-97
		US-A- 5600573	04-02-97

WO-A-9501058	05-01-95	US-A- 5594509	14-01-97
		AU-A- 7114394	17-01-95

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 96/18636

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US-A-5416508	16-05-95	JP-A- 5115063	07-05-93
		JP-A- 5122674	18-05-93
		JP-A- 5122699	18-05-93
